


Scalable Stochastic Gradient-based Inference for Gaussian Processes

Maurizio Filippone


EURECOM, Sophia Antipolis, France

email: maurizio.filippone@eurecom.fr

Gaussian Process (GP) Regression - Illustration



Bayesian Inference for GPs



Marginal likelihood

- Marginal likelihood

$$p(\text{data}|\text{par}) = \int p(\text{data}|\text{latent})p(\text{latent}|\text{par})d\text{latent}$$

can only be computed if $p(\text{data}|\text{latent})$ is Gaussian

- ... even then

$$\log[p(\text{data}|\text{par})] = -\frac{1}{2} \log |K| - \frac{1}{2} \mathbf{y}^T K^{-1} \mathbf{y} + \text{const.}$$

where $K = K(\text{par})$ is generally an $n \times n$ dense matrix!

Stochastic Gradient Langevin Dynamics (SGLD) algorithm

- Stochastic gradient ascent optimization with injected noise η_t

$$\text{par}' = \text{par} + \frac{\alpha_t}{2} \nabla_{\text{par}} \log[p(\text{data}|\text{par})p(\text{par})] + \eta_t \quad \eta_t \sim \mathcal{N}(0, \alpha_t) \quad \alpha_t \rightarrow 0$$

- First phase – α_t large – Optimization phase

- Injected noise η_t is smaller than the gradient-based update
- Behavior similar to stochastic gradient ascent

- Second phase – α_t small – Langevin dynamics phase

- Injected noise η_t dominates gradient-based update
- ✓ Acceptance rate reaches one so no need to accept/reject
- ✓ No need to evaluate $p(\text{data}|\text{par})$
- ✓ We only need stochastic gradients to obtain samples from $p(\text{par}|\text{data})$

Stochastic gradients for GPs

- Marginal likelihood

$$\log[p(\text{data}|\text{par})] = -\frac{1}{2} \log |K| - \frac{1}{2} \mathbf{y}^T K^{-1} \mathbf{y} + \text{const.}$$

- Derivatives wrt par

$$\frac{\partial \log[p(\text{data}|\text{par})]}{\partial \text{par}_i} = -\frac{1}{2} \text{Tr} \left(K^{-1} \frac{\partial K}{\partial \text{par}_i} \right) + \frac{1}{2} \mathbf{y}^T K^{-1} \frac{\partial K}{\partial \text{par}_i} K^{-1} \mathbf{y}$$

- Stochastic estimate of the trace

$$\text{Tr} \left(K^{-1} \frac{\partial K}{\partial \text{par}_i} \right) = \text{Tr} \left(K^{-1} \frac{\partial K}{\partial \text{par}_i} E[\mathbf{r}\mathbf{r}^T] \right) = E \left[\mathbf{r}^T K^{-1} \frac{\partial K}{\partial \text{par}_i} \mathbf{r} \right]$$

with $E[\mathbf{r}\mathbf{r}^T] = I$ e.g., r_j drawn from $\{-1, 1\}$ with $p = 1/2$

- Stochastic gradient

$$-\frac{1}{2N_r} \sum_{i=1}^{N_r} \mathbf{r}^{(i)\top} K^{-1} \frac{\partial K}{\partial \text{par}_i} \mathbf{r}^{(i)} + \frac{1}{2} \mathbf{y}^T K^{-1} \frac{\partial K}{\partial \text{par}_i} K^{-1} \mathbf{y}$$

- Linear systems only!

Solving linear systems

- Linear systems:

$$K\mathbf{s} = \mathbf{b}$$

- Can be solved using the Conjugate Gradient algorithm:

$$\mathbf{s} = \arg \min_{\mathbf{x}} \left(\frac{1}{2} \mathbf{x}^T K \mathbf{x} - \mathbf{x}^T \mathbf{b} \right)$$

- Iterative update $\mathbf{s} = \mathbf{s}_0 + \delta_1 + \dots + \delta_T$

- Requires only Covariance Matrix Vector Products (CMVPs)! $O(n^2)$ time

- No need to store K ! $O(n)$ space

ULISSE - the Unbiased Linear System SolvEr


- Accelerate the solution of dense linear systems

- ... returning an unbiased estimate of the solution


- Full CG solution:

$$\mathbf{s} = \mathbf{s}_0 + \delta_1 + \dots + \delta_l + \delta_{l+1} \dots + \delta_T$$

- ULISSE:



- Final solution is an unbiased estimate of \mathbf{s} !




- Fast computation of stochastic gradients


- Small relative error wrt exact gradients

$$\text{rel square norm} = \frac{\|\mathbf{g}(\boldsymbol{\theta}) - \tilde{\mathbf{g}}(\boldsymbol{\theta})\|^2}{\|\mathbf{g}(\boldsymbol{\theta})\|^2}$$

Traditional solvers vs ULISSE



Inference Results



Conclusions

- Novel adaptation of SGLD to infer covariance parameters in Gaussian processes
 - ✓ Accurate in characterizing the posterior distribution over covariance parameters
 - ✓ Scales with $O(n)$ in space and with $O(n^2)$ in time
 - ✓ Massively parallelizable
 - ✓ Without assuming factorization of the likelihood (mini-batches)
 - ✓ Without considering subsets of the data or inducing points
 - ✓ Without considering subsets of the spectrum of the covariance
 - ✓ Without imposing sparsity on the covariance or its inverse
- Novel linear solver - ULISSE
 - ✓ Early stop of iterative linear solver that yields an unbiased solution
 - ✓ Can be adopted to accelerate **any** iterative solver
- Ongoing work
 - Extension to Gaussian Markov Random Fields and other likelihoods
 - Tuning of a preconditioner in SGLD
 - Mixed precision calculations within the Conjugate Gradient algorithm

References

- [1] M. Filippone and R. Engler, Enabling scalable stochastic gradient-based inference for Gaussian processes by employing the Unbiased Linear System SolvEr (ULISSE). *ICML* 2015, to appear.
- [2] M. Filippone and M. Girolami, Pseudo-marginal Bayesian inference for Gaussian processes. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 36(11):2214–2226, 2014.
- [3] M. Filippone et al. Probabilistic Prediction of Neurological Disorders with a Statistical Assessment of Neuroimaging Data Modalities. *Annals of Applied Statistics*, 6(4):1883–1905, 2012.
- [4] M. N. Gibbs, *Bayesian Gaussian processes for regression and classification*. PhD thesis, University of Cambridge, 1997.
- [5] M. Welling and Y. W. Teh, Bayesian Learning via Stochastic Gradient Langevin Dynamics. *ICML* 2011, pp. 681–688. Omnipress, 2011.